

DAF XB 260 4x2 BL *NEW* Bergingsvoertuig - Recovery Truck - Abschleppfahrzeug - Depannage

General features

Brand	DAF
Model	XB 260
Subcategory	Tow-recovery
Odometer reading	17km
Construction year	2025
Color	Yellow
General condition	Very good
Fuel	Diesel
Emission class	Euro 6
Reference	DAF XB 260 TEVOR 5934



Characteristics

Empty weight	8.075kg
Load capacity	3.915kg
GVW	11.990kg
Length	913cm
Width	246cm
Cabin	Sleeper cabin
Serial number	XLRAEL1700L545934
Cylinder contents	6.700cc

DAF XB 260 4x2 BL *NEW* Bergingsvoertuig - Recovery Truck - Abschleppfahrzeug - Depannage

Technical specifications

Number of axes	2
Axis configuration	4x2
Transmission	Automatic
Engine output	189kw

Description

Detailed information about the NEW DAF XB 260 4x2 BL EURO: 6E - TEVOR recovery vehicle 1st registration: NEW Mileage: 1387 km Sleeper cab PX-7 engine, 189 kW/257 hp EURO: 6E PowerLine automatic transmission, 8 gears Wheelbase: 4650 mm Weight variant: 11990 kg Load capacity: 4320 kg Cab: Sleeper cab Tyres axle 1: 245/70R17.5 Goodyear Tyres axle 2: 245/70R17.5 Goodyear Axle 1: 4500 kg technical - Leaf spring suspension Axle 2: 8500 kg technical - Air suspension Options: Sleeper cab, 1 bed Electric window controls Electric adjustment of the main mirrors Air conditioning Sun visor Daytime running lights Fog lights and cornering lights Extra, lower window in the front passenger door Multifunctional leather steering wheel DAF Infotainment System -FM/DAB/DAB+ radio and streaming functions via USB and Bluetooth. Camera at the rear of the vehicle Central door locking with remote control Luxury air-sprung driver's seat with lumbar support and seat heating. Integrated headrest. Three-point belt. Seat upholstery velour Armrest on the driver's seat Digital (smart) tachograph VDO Driver Performance Assistant (DPA) DAF Drowsiness Detection assesses the driver's alertness by analysing vehicle systems and warns the driver if necessary. Lane Departure Warning System Electronic Vehicle Stability Control (VSC) system Acoustic warning signal when reversing, can be switched off Mechanical main switch Preparation for an alcohol lock system Tire pressure monitoring Switch off the engine after idling for 5 minutes. (Continues to run when PTO is engaged) Mechanical differential lock ASR system Exhaust brake Plastic fuel tank 185 litres AdBlue® tank 55 litres Pneumatic trailer connection Electric trailer connection 24V with two 7-pin socket sockets Lowering air suspension when PTO is engaged DAF Warranty: Warranty Plus - Driveline, includes 1 year full vehicle warranty on the vehicle as supplied by the OEM (excl. genuine wear parts), in the 2nd and 3rd year up to 200,000 km on driveline and 1 year on breakdown Construction: Hydraulic sliding / loading platform "ZP50-C1" / 5,000 kg - Length 6693 x 2450 mm Hydraulic wheel lift 2,500 kg - "WY-2500F" equipped with pressure gauge Remote control - 10 channels with emergency button Plateau flyer / high Winch on platform - hydraulically adjustable over the full width 5,100 kg "Come Up HV12" Various accessories Ball coupling Reversing roller Tool cabinets made of stainless steel Flashlights front and rear LED flashlight bar Various work lights, LED version Waste bin 5 pawns on holder Construction is completely hot-dip galvanized E.T.C.

Accessories

- • • • •

- [illegible]