

DAF XB 260 *NEW* Recovery Truck - Bergingsvoertuig - Abschleppfahrzeug - Depannage

General features

Brand	DAF
Model	XB 260
Subcategory	Tow-recovery
Odometer reading	12km
Construction year	2025
Color	Yellow
Condition	Used
General condition	Very good
Fuel	Diesel
Emission class	Euro 6
Reference	DAF XB 260 TEVOR-5997



Characteristics

Empty weight	7.950kg
Load capacity	4.040kg
GVW	11.990kg
Length	914cm
Width	245cm
Cabin	No
Serial number	XLRAEL1700L545997
Cylinder contents	6.690cc

DAF XB 260 *NEW* Recovery Truck - Bergingsvoertuig - Abschleppfahrzeug - Depannage

Technical specifications

Number of axes	2
Axis configuration	4x2
Transmission	Automatic
Engine output	189kw

Description

Detailed information about this NEW DAF XB 260 4x2 BL EURO: 6E - TEVOR recovery vehicle Vehicle: 1st registration: NEW Mileage: 12 km Extended day cab Engine PX-7, 189 kW/257 hp EURO: 6E Automatic PowerLine gearbox, 8 gears 3 seats Wheelbase: 500 cm Weight variant: 11990 kg Load capacity: 4040 kg Tyres axle 1: 245/70 R17.5 Goodyear Tyres axle 2: 245/70 R17.5 Goodyear Spare wheel: 245/70 R17.5 Goodyear Axle 1: 4500 kg technical - Leaf spring suspension Axle 2: 8500 kg technical - Air spring suspension Length: 914 cm Width: 245 cm Height: 281 cm Options: ACC Active Cruise Control Electric windows Electric adjustment mirrors Heated windscreen Rear window in cabin Roof hatch Fog lamps Air conditioning External sun visor Daytime running lights Multifunctional leather steering wheel DAF Infotainment System - includes integrated FM/DAB/DAB+ radio / USB and Bluetooth Rear camera Camera images are displayed on a special display Central door locking with control function for exterior lighting. Including 2 remote controls Luxury sprung and heated driver's seat with adjustable damper and pneumatic lumbar support. Integrated headrest. Three-point belt. Armrest on the driver's seat Bench for 2 additional seats Digital (smart) tachograph VDO DTCO with GNSS receiver (Global Navigation Satellite System) Driver Performance Assistant (DPA) DAF Drowsiness Detection assesses the driver's alertness Lane Departure Warning System Electronic Vehicle Stability Control system (VSC) Acoustic warning signal when reversing with cancellation switch Mechanical main switch Tyre pressure monitoring Mechanical differential lock ASR system Exhaust brake Fuel tank 155 litres AdBlue® 55 litres Pneumatic trailer connection Electric trailer connection 24V with two 7-pin socket sockets DAF Warranty: Warranty Plus - 2-year warranty without kilometre limitation Construction: Hydraulic sliding / loading platform "ZP50-C1" / 5,000 kg - Length 6693 x 2450 mm Hydraulic wheel lift 2,500 kg - "WY-2500F" equipped with pressure gauge Remote control - 10 channels with emergency button Plateau flyer / high Winch on platform - hydraulically adjustable over the full width 5,100 kg "Come Up HV12" Various accessories Ball coupling Reversing roller Tool cabinets Polyethylene (800 x 400 x 500 mm) Flashlights front and rear LED flashlight bar Various work lights, LED version Waste bin 5 pawns on holder Construction is completely hot-dip galvanized E.T.C.

Accessories

-

- [illegible]