

Mercedes-Benz Atego 1224 1224 EUROTECHNIK

General features

Brand	Mercedes-Benz
Model	Atego 1224
Subcategory	Tow-recovery
Licence plate	48-BRF-4
Odometer reading	293.121km
Construction year	2021
Date of first registration	06-01-2021
Color	Yellow
Condition	Used
General condition	Very good
Fuel	Diesel
Emission class	Euro 6
Reference	48BRF4 MB Atego Eurotechnik



Characteristics

Empty weight	7.765kg
Load capacity	4.225kg
GVW	11.990kg
Length	918cm
Width	252cm
Cabin	Sleeper cabin
Serial number	W1T96702810455369
Cylinder contents	7.698cc

Mercedes-Benz Atego 1224 1224 EUROTECHNIK

Technical specifications

Number of axes	2
Axis configuration	4x2
Transmission	Automatic
Engine output	175kw

Description

Extensive information about the Mercedes Benz Atego 1224L Lowliner - Eurotechnik sliding platform / hydraulic lift Vehicle:
Sleeping cabin / high roof / sitting cabin Mercedes Benz Atego 1224 L Lowliner 4x2 175 kW / 238 hp (OM936 6 cylinder)
Automatic / PowerShift Wheelbase: 4820 Weight variant: 11990 kg Load capacity: 4225 kg Tires axle 1: 245/70 R17.5 Tires axle 2: 245/70 R17.5 Axle 1: 4400 kg technical - Leaf suspension Axle 2: 8100 kg technical - Air suspension Options: Sleeping / high roof / sitting cabin (6 persons) Air conditioning Cruise control Electrically operated windows Central door locking including remote control Electrically adjustable / heated exterior mirrors Daytime running lights Foglamps Lane Keeping Assist Active Brake Assist Engine brake Power Take Off - NA 60-2C Limited slip differential rear axle 180 liter fuel tank 25 liters of AdBlue Tank lock Ringfeder Electricity connections for trailer Telligent braking system ABS - ASR Trailer brake Sun visor Air horns on cabin roof Immobilizer with transponder Driver's comfort seat with armrests Passenger seat foldable for entry to bench seat Velour upholstery Sitting / lying combination with 1 bed Driver's seat armrests Radio / USB FleetBoard Eco Support Preparation for MAUT PSM Module with AHW CAN bus Structure: Hydraulic sliding loading platform "ET-V - 5001" / 5,000 kg - Length 6400 x 2500 mm Hydraulic wheel lift 2.000 kg - L Brackets "ET-B 2000L" Remote control - 8 channels Plateau flyer Winch on platform - hydraulically movable over the full width 3.600 kg "VIME" Various attachments Ball coupling Reverse roller Rockinger Tool boxes (1200 mm) Various work lights, LED version Waste bins Superstructure is fully hot-dip galvanized ETC.

Accessories

- Trailer coupling
- Automatic
- Bluetooth
- Central doorlocking
- Differential Lock
- Hill Assist
- Lane Assist
- Heated Mirrors
- Towbar
- Spotlight rear
- Spotlight front
- Front window
- Rotating beacon
-
-
-
-
-

